




Air/steam atomiser  
15- AG.. / AI.. / AH.. / AV.. -A°-50-6  
Fuel density 860 kg/m<sup>3</sup>  
Fuel viscosity 5 mm<sup>2</sup>/s

15-HJ01-DG-E

## OUTPUT CHARACTERISTIC

02-05-2002






Air/steam atomiser  
15- AG.. / AI.. / AH.. / AV.. -A°-60-6  
Fuel density 860 kg/m<sup>3</sup>  
Fuel viscosity 5 mm<sup>2</sup>/s

15-HJ01-DG-E

## OUTPUT CHARACTERISTIC

02-05-2002






Air/steam atomiser  
15- AG.. / AI.. / AH.. / AV.. -A°-70-6  
Fuel density 860 kg/m<sup>3</sup>  
Fuel viscosity 5 mm<sup>2</sup>/s

15-HJ01-DG-E

## OUTPUT CHARACTERISTIC

02-05-2002






Air/steam atomiser  
15- AG.. / AI.. / AH.. / AV.. -A°-80-6  
Fuel density 860 kg/m<sup>3</sup>  
Fuel viscosity 5 mm<sup>2</sup>/s

15-HJ01-DG-E

## OUTPUT CHARACTERISTIC

02-05-2002






Air/steam atomiser  
15- AG.. / AI.. / AH.. / AV.. -A°-90-6  
Fuel density 860 kg/m<sup>3</sup>  
Fuel viscosity 5 mm<sup>2</sup>/s

15-HJ01-DG-E

## OUTPUT CHARACTERISTIC

02-05-2002





Air/steam atomiser

15-HJ01-DG-E


15- AG.. / AI.. / AH.. / AV.. -A°-100-6

Fuel density 860 kg/m<sup>3</sup>

Fuel viscosity 5 mm<sup>2</sup>/s

## OUTPUT CHARACTERISTIC

02-05-2002





Air/steam atomiser

15-HJ01-DG-E


15- AG.. / AI.. / AH.. / AV.. -A°-115-6

Fuel density 860 kg/m<sup>3</sup>

Fuel viscosity 5 mm<sup>2</sup>/s

## OUTPUT CHARACTERISTIC

02-05-2002





Air/steam atomiser

15-HJ01-DG-E


15- AG.. / AI.. / AH.. / AV.. -A°-130-6

Fuel density 860 kg/m<sup>3</sup>

Fuel viscosity 5 mm<sup>2</sup>/s

## OUTPUT CHARACTERISTIC

02-05-2002







Air/steam atomiser

15-HJ01-DG-E


15- AG.. / AI.. / AH.. / AV.. -A°-145-6

Fuel density 860 kg/m<sup>3</sup>

Fuel viscosity 5 mm<sup>2</sup>/s

## OUTPUT CHARACTERISTIC

02-05-2002





Air/steam atomiser

15-HJ01-DG-E


15- AG.. / AI.. / AH.. / AV.. -A°-160-6

Fuel density 860 kg/m<sup>3</sup>

Fuel viscosity 5 mm<sup>2</sup>/s

## OUTPUT CHARACTERISTIC

02-05-2002





Air/steam atomiser

15-HJ01-DG-E


15- AG.. / AI.. / AH.. / AV.. -A°-180-6

Fuel density 860 kg/m<sup>3</sup>

Fuel viscosity 5 mm<sup>2</sup>/s

## OUTPUT CHARACTERISTIC

02-05-2002





Air/steam atomiser

15-HJ01-DG-E


15- AG.. / AI.. / AH.. / AV.. -A°-200-6

Fuel density 860 kg/m<sup>3</sup>

Fuel viscosity 5 mm<sup>2</sup>/s

## OUTPUT CHARACTERISTIC

02-05-2002





Air/steam atomiser

15-HJ01-DG-E


15- AG.. / AI.. / AH.. / AV.. -A°-225-6

Fuel density 860 kg/m<sup>3</sup>

Fuel viscosity 5 mm<sup>2</sup>/s

## OUTPUT CHARACTERISTIC

02-05-2002





Air/steam atomiser

15-HJ01-DG-E


15- AG.. / AI.. / AH.. / AV.. -A°-250-6

Fuel density 860 kg/m<sup>3</sup>

Fuel viscosity 5 mm<sup>2</sup>/s

## OUTPUT CHARACTERISTIC

02-05-2002





Air/steam atomiser

15-HJ01-DG-E


15- AG.. / AI.. / AH.. / AV.. -A°-275-6

Fuel density 860 kg/m<sup>3</sup>

Fuel viscosity 5 mm<sup>2</sup>/s

## OUTPUT CHARACTERISTIC

02-05-2002





Air/steam atomiser

15-HJ01-DG-E

15- AG.. / AI.. / AH.. / AV.. -A°-300-6

Fuel density 860 kg/m<sup>3</sup>

Fuel viscosity 5 mm<sup>2</sup>/s

## OUTPUT CHARACTERISTIC

02-05-2002

