





Orifice 40-ET/LT-2,00  
Swirler 40-BT-"nr"  
Supply pressure 30 Bar  
Viscosity 5 cSt

40-3BGM-DE-E

OUTPUT CHARACTERISTICS

25-09-20









Orifice 40-ET/LT-2,50  
Swirler 40-BT-"nr"  
Supply pressure 30 Bar  
Viscosity 5 cSt

40-3BGM-DE-E

OUTPUT CHARACTERISTICS

25-09-20









Orifice 40-ET/LT-3,00  
Swirler 40-BT-"nr"  
Supply pressure 30 Bar  
Viscosity 5 cSt

40-3BGM-DE-E

OUTPUT CHARACTERISTICS

25-09-20









Orifice 40-ET/LT-3,25  
Swirler 40-BT-"nr"  
Supply pressure 30 Bar  
Viscosity 5 cSt

40-3BGM-DE-E

OUTPUT CHARACTERISTICS

25-09-20









Orifice 40-ET/LT-3,75  
Swirler 40-BT-"nr"  
Supply pressure 30 Bar  
Viscosity 5 cSt

40-3BGM-DE-E

OUTPUT CHARACTERISTICS

25-09-20









Orifice 40-ET/LT-4,00  
Swirler 40-BT-"nr"  
Supply pressure 30 Bar  
Viscosity 5 cSt

40-3BGM-DE-E

OUTPUT CHARACTERISTICS

25-09-20









Orifice 40-ET/LT-4,25  
Swirler 40-BT-"nr"  
Supply pressure 30 Bar  
Viscosity 5 cSt

40-3BGM-DE-E

OUTPUT CHARACTERISTICS

25-09-20








Orifice 40-ET/LT-4,50  
Swirler 40-BT-"nr"  
Supply pressure 30 Bar  
Viscosity 5 cSt


40-3BGM-DE-E

OUTPUT CHARACTERISTICS

25-09-20











Orifice 40-ET/LT-4,75  
Swirler 40-BT-"nr"  
Supply pressure 30 Bar  
Viscosity 5 cSt

40-3BGM-DE-E

OUTPUT CHARACTERISTICS

25-09-20









Orifice 40-ET/LT-5,00  
Swirler 40-BT-"nr"  
Supply pressure 30 Bar  
Viscosity 5 cSt

40-3BGM-DE-E

OUTPUT CHARACTERISTICS

25-09-20









Orifice 40-ET/LT-5,25  
Swirler 40-BT-"nr"  
Supply pressure 30 Bar  
Viscosity 5 cSt

40-3BGM-DE-E

OUTPUT CHARACTERISTICS

25-09-20









Orifice 40-ET/LT-5,50  
Swirler 40-BT-"nr"  
Supply pressure 30 Bar  
Viscosity 5 cSt

40-3BGM-DE-E

OUTPUT CHARACTERISTICS

25-09-20









Orifice 40-ET/LT-6,00  
Swirler 40-BT-"nr"  
Supply pressure 30 Bar  
Viscosity 5 cSt

40-3BGM-DE-E

OUTPUT CHARACTERISTICS

25-09-20









Orifice 40-ET/LT-6,50  
Swirler 40-BT-"nr"  
Supply pressure 30 Bar  
Viscosity 5 cSt

40-3BGM-DE-E

OUTPUT CHARACTERISTICS

25-09-20









Orifice 40-ET/LT-7,00  
Swirler 40-BT-"nr"  
Supply pressure 30 Bar  
Viscosity 5 cSt

40-3BGM-DE-E

OUTPUT CHARACTERISTICS

25-09-20





Orifice 40-ET/LT-7,50  
Swirler 40-BT-"nr"  
Supply pressure 30 Bar  
Viscosity 5 cSt

40-3BGM-DE-E

OUTPUT CHARACTERISTICS

25-09-20

